



This scanning electron microscope image shows SARS-CoV-2 (yellow), the virus that causes COVID-19, isolated from a patient in the United States, emerging from the surface of cells (pink) cultured in the lab. Credit: NIAID-RML

# NIAID STRATEGIC PLAN FOR COVID-19 RESEARCH

FY2020 – FY2024

April 22, 2020



## Table of Contents

Executive Summary.....	1
Research Plan.....	2
<b>Priority 1: Improve fundamental knowledge of SARS-CoV-2 and COVID-19</b> .....	2
Objective 1.1: Characterize fundamental SARS-CoV-2 virology and immunological host response to infection .....	2
Objective 1.2: Evaluate disease dynamics through natural history, transmission, and surveillance studies .....	3
Objective 1.3: Develop animal models that recapitulate human disease .....	4
<b>Priority 2: Support the development of diagnostics and assays</b> .....	5
Objective 2.1: Accelerate the development and evaluation of diagnostic platforms .....	5
Objective 2.2: Develop assays to increase understanding of infection and disease incidence .....	5
<b>Priority 3: Characterize and test therapeutics</b> .....	6
Objective 3.1: Identify promising candidates with activity against SARS-CoV-2 .....	6
Objective 3.2: Conduct treatment studies to advance high-priority therapeutic candidates .....	7
<b>Priority 4: Develop safe and effective vaccines against SARS-CoV-2</b> .....	8
Objective 4.1: Advance promising vaccine candidates through clinical trial testing.....	8
Objective 4.2: Advance vaccine development through assay and reagent development .....	9
Objective 4.3: Advance vaccine development through adjuvant characterization and development .....	9
Conclusion.....	10

## Executive Summary

The National Institute of Allergy and Infectious Diseases (NIAID) at the United States (U.S.) National Institutes of Health (NIH) is committed to safeguarding the health of Americans and people around the world by accelerating research efforts to prevent, diagnose, and treat COVID-19 and characterize the causative agent of this disease, severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2). This *NIAID Strategic Plan for COVID-19 Research* builds on current trans-NIAID efforts to better understand SARS-CoV-2 pathogenesis, transmission, and mechanisms of protective immunity by expanding resources and activities that support rapid development of biomedical tools to more effectively combat this disease and pandemic. Given the urgency of the public health response, studies that inform efforts to control virus spread and mitigate morbidity and mortality, including therapeutic and vaccine development, are the priority. In addition, it is essential to develop rapid, accurate, point-of-care diagnostics—a critical asset to mitigating the spread of COVID-19.

### Box 1 NIAID Strategic Plan for COVID-19 Research Mission

*Conduct and support research on SARS-CoV-2 and COVID-19 to accelerate the development of safe and effective medical countermeasures that decrease disease incidence, mitigate morbidity and prevent mortality.*

The *NIAID Strategic Plan for COVID-19 Research* aligns with the priorities set by U.S. Government-wide task forces for the development of medical countermeasures. NIAID actively participates in COVID-19 task forces to identify opportunities, ensure open communication, encourage resource sharing, and avoid duplication of effort. The plan is structured around four strategic research priorities:

1. **Improve fundamental knowledge of SARS-CoV-2 and COVID-19**, including studies to characterize the virus and how it is transmitted and understand the natural history, epidemiology, host immunity, disease immunopathogenesis, and the genetic, immunologic, and clinical associations with more severe disease outcomes. This includes accelerating the development of small and large animal models that replicate human disease.
2. **Support the development of diagnostics and assays**, including point-of-care molecular and antigen-based diagnostics for identifying and isolating COVID-19 cases and serologic assays to better understand disease prevalence in the population. Diagnostics also will be essential for evaluating the effectiveness of candidate countermeasures.
3. **Characterize and test therapeutics**, including identifying and evaluating repurposed drugs and novel broad-spectrum antivirals, virus-targeted antibody-based therapies (including plasma-derived intravenous immunoglobulin (IVIG) and monoclonal antibodies), and host-directed strategies to combat COVID-19.
4. **Develop safe and effective vaccines against SARS-CoV-2**, including support of clinical trial testing.

To accelerate research, NIAID will leverage current resources and global collaborations, including existing research programs and clinical trials networks. NIAID's research response to COVID-19 will build on experience with diseases caused by other zoonotic coronaviruses (CoVs), including severe acute

respiratory syndrome (SARS) and Middle East respiratory syndrome (MERS). NIAID will pursue public-private partnerships to facilitate the translation of research outcomes into life-saving public health interventions. Working with pharmaceutical companies, NIAID has already initiated Phase 1 clinical trials for candidate COVID-19 vaccines and therapeutics. A concerted effort will be made to include minority populations, as well as at-risk and vulnerable populations, in all aspects of NIAID-sponsored research to address health disparities between diverse groups. Characterization of the fundamental virology of SARS-CoV-2 and the immunological response to infection will inform future studies and facilitate the development of effective medical countermeasures. With collaboration from all agencies within the U.S. government and other key U.S. and global partners, NIAID will rapidly disseminate these results so that the information can be translated into clinical practice and public health interventions to combat the pandemic. As such, NIAID has already implemented open sharing of scientific data through publicly available websites and will continue to promote the prompt disclosure of SARS-CoV-2 and COVID-19 research data by the scientific community.

## Research Plan

### Priority 1: Improve fundamental knowledge of SARS-CoV-2 and COVID-19

*Developing effective medical and public health countermeasures against a newly emergent virus like SARS-CoV-2 will require a better understanding of the complex molecular and immune mechanisms underlying infection and disease. Studies that delineate the viral lifecycle and host immune responses to infection can lead to the identification of novel targets for intervention against SARS-CoV-2 infection and COVID-19. Early studies suggest that the clinical manifestations of COVID-19 can vary significantly, and disease severity can range from mild to critical. Thus, a detailed understanding of the clinical course of disease, as well as the clinical, virologic, immunological, and genetic predictors of disease severity, are needed. Gaps also exist in our understanding of the dynamics of disease transmission in different populations over time, including the role of pediatric and elderly populations in viral spread, and the potential seasonality of viral circulation.*

Objective 1.1: Characterize fundamental SARS-CoV-2 virology and immunological host response to infection

- **Support the development and distribution of reagents and viral isolates to researchers.** NIAID will continue to support both intramural and extramural researchers by developing reagents and assays for virus characterization and immunological analyses. NIAID will continue to accelerate SARS-CoV-2 research by sourcing viral isolates and clinical specimens for the research community and placing them in repositories to help advance research and countermeasure development. In addition, NIAID will place other critical reagents needed for assay development (e.g., pseudovirions and antigens) in publicly available repositories for distribution.
- **Characterize virus biology and immunological responses to disease.** A comprehensive understanding of the

<b>Box 2</b>
<b>Priority 1: Improve fundamental knowledge of SARS-CoV-2 and COVID-19</b>
<i>Objective 1.1: Characterize fundamental SARS-CoV-2 virology and immunological host response to infection</i>
<i>Objective 1.2: Evaluate disease dynamics through natural history, transmission, and surveillance studies</i>
<i>Objective 1.3: Develop animal models that recapitulate human disease</i>

biological processes involved in SARS-CoV-2 infection and the pathogenesis of COVID-19 are paramount to developing new medical countermeasures to fight the spread of disease. Building on prior research related to MERS and SARS coronaviruses, early studies confirmed several critical features of SARS-CoV-2 infection, including the primary host receptor, angiotensin converting enzyme 2 (ACE-2), and the structure of the virus receptor-binding domain. Studies that delineate the viral lifecycle and host immune responses to infection can lead to the identification of novel targets for intervention against SARS-CoV-2 infection and COVID-19. Understanding the function of essential viral proteins will be necessary for improving diagnostic and immunological assays, *in vitro* and *in vivo* models, and other resources needed to advance safe and effective medical countermeasure development. In addition, evaluating the dynamics of host-pathogen interactions at the molecular and cellular levels will be critical to advancing our understanding of viral pathogenesis and immune responses that contribute to SARS-CoV-2 infection.

- **Determine viral evolution and molecular epidemiology.** With a newly emergent virus like SARS-CoV-2, studies to characterize genetic diversity, including those that assess the potential for the virus to evolve and escape host immunity, are pivotal for understanding disease progression and transmission dynamics and may have implications for countermeasure development. Viral genomic analysis matched with patient clinical data will be important to identify biomarkers of virulence and establish paradigms of sequence diversity. In addition, evaluating viral sequence associations with disease outcomes, immune status, and viral replication will provide crucial data to accelerate the development of effective medical countermeasures.
- **Develop low-containment assays to study virus neutralization.** Studies using non-infectious pseudovirions can be conducted in labs without BSL-3 capacity, making them an important tool to enhance understanding of SARS-CoV-2 infection. This capability would enable researchers without high-containment infrastructure to study the dynamics of virus neutralization *in vitro*.
- **Research into optimal public health prevention and mitigation modalities.** Clinical trials including family members of a COVID-19 positive individual can be devised to evaluate transmission, prevention, and other mitigation measures within the household.

Objective 1.2: Evaluate disease dynamics through natural history, transmission, and surveillance studies

- **Characterize disease incidence through surveillance studies.** Clinical manifestations of COVID-19 can vary greatly, ranging from asymptomatic or mildly symptomatic to the development of pneumonia, acute respiratory distress syndrome, and even death.<sup>1</sup> The variation in clinical presentation of COVID-19, combined with the challenges in diagnostic capacity, have made accurate initial assessments of disease incidence a formidable challenge. However, rapid point-of-care and point-of-need molecular tests, which became available in March 2020, will enable hospitals and other healthcare facilities to make informed decisions regarding patient isolation and care. Studies that leverage existing high-throughput diagnostic capacity along with these rapid tests will advance our understanding of disease incidence across the nation and will be a critical component of strategies to implement effective medical countermeasures. Combining these studies with broad serosurveillance studies across existing surveillance networks, including blood bank studies, would

---

<sup>1</sup> Wu Z and McGoogan JM. *JAMA* 2020 Feb 24. Epub. PMID 32091533.

provide a more complete picture of the scope of disease and the dynamics of infection. Detailed knowledge of host genetics and the human responses to infection across the lifespan will not only provide insights into new approaches for diagnosis, treatment, and prevention, but also may elucidate why individuals respond to SARS-CoV-2 in different ways. Reports to date suggest that COVID-19 resolves in most cases,<sup>2</sup> implying that the immune system can keep the infection from progressing to severe disease in many individuals. However, additional research is needed to better understand why some people progress to severe disease, which will lend critical insights to medical countermeasure development.

- **Assess the dynamics of disease transmission.** Our current understanding of COVID-19 transmission is limited. While recent studies have suggested timeframes for virus survival in aerosols and on surfaces,<sup>3</sup> the contributions of different routes of transmission and the dynamics of animal-to-human and human-to-human transmission remain unclear. The diverse clinical presentations of COVID-19, including a high prevalence of asymptomatic cases, add further complexity to understanding transmission dynamics. Providing a clearer picture of the natural history of viral shedding is a priority, both in acute cases and in asymptomatic infection. Given the challenges of accurately diagnosing asymptomatic individuals because they do not present for treatment, determining the role they play in transmission would provide valuable insights. Elucidating the role of pediatric cases in the spread of SARS-CoV-2 is particularly important. Although pediatric COVID-19 cases are generally asymptomatic or have less severe clinical manifestations than those of adults, the role that children play in spreading the virus is unknown. Additionally, studies to identify potential animal reservoirs and better understand transmission from animals to humans are a research priority, as these reservoirs may lead to future virus introductions and re-emergence of disease in humans. Virus transmission depends on a complex interplay of host, viral, and environmental factors that contribute to disease incidence and spread. Identifying the factors that maintain the disease transmission cycle is critical to developing effective medical countermeasures and public health interventions that will prevent future pandemics.
- **Determine disease progression through natural history studies.** Delineating the natural history of COVID-19 will inform immunopathogenesis, viral tropisms and length of shedding, immune phenotypes, and both protective immunity and host susceptibility. Disease assessment using longitudinal cohort studies, including among high-risk populations such as healthcare workers and the elderly, are important to better understand disease pathogenesis and immune responses to infection. Biomarkers identified from these studies may provide valuable insights into predictors of disease severity.

#### Objective 1.3: Develop animal models that recapitulate human disease

- **Develop small and large animal models that replicate SARS-CoV-2 pathogenesis.** Developing animal models that recapitulate human disease is a vital early step toward understanding disease pathogenesis and testing the efficacy of medical countermeasures. Small animal models enable rapid, scalable analyses that are particularly valuable for screening countermeasure candidates for efficacy and addressing issues concerning vaccine-induced immune enhancement. Among the small animal models being tested, transgenic mice expressing the human ACE-2 receptor are a promising candidate. In parallel, development and characterization of large animal models, including non-human primates (NHPs) that mimic human COVID-19, are a pivotal step to advance promising

---

<sup>2</sup> *ibid.*

<sup>3</sup> van Doremalen *N et al. N Engl J Med* 2020 Mar 17. Epub. PMID 32182409.

countermeasure candidates. Previous experience with related coronavirus diseases such as MERS and SARS suggests that replicating human disease, particularly its more severe manifestations, in an animal model may be challenging. Fundamental research assessing animal models ranging from mice to NHPs is already underway. NIAID will continue to support the development of small and large animal model candidates to better understand this emerging infection and investigate optimal ways to treat and prevent COVID-19. NIAID also will ensure that validated animal models are made available to the scientific community for evaluating priority countermeasures.

## Priority 2: Support the development of diagnostics and assays

*Availability of rapid, accurate Food and Drug Administration (FDA)-cleared or authorized diagnostics will increase testing capacity and are critical for identifying and rapidly isolating cases, tracking spread of the virus, managing patient care, and supporting clinical trials. Molecular tests specifically designed to detect SARS-CoV-2 RNA in clinical samples are able to detect low levels of pathogen in clinical samples and offer robust specificity in differentiating SARS-CoV-2 from other related viruses. Continuing to improve the speed and accuracy of molecular and antigen-based diagnostics and making them available at point-of-care will be paramount to accelerating the ability to mitigate disease spread in the current outbreak and any future outbreaks. The development of serologic assays would further bolster surveillance efforts, including the ability to identify individuals who may have resolved prior infection with SARS-CoV-2.*

### Objective 2.1: Accelerate the development and evaluation of diagnostic platforms

- **Support the development, characterization and availability of reagents for diagnostic validation.**

NIAID will support this effort through the development and testing of reagents for diagnostic validation that will be made available through NIAID-sponsored repositories.

Box 3 Priority 2: Support the development of diagnostics and assays
<i>Objective 2.1: Accelerate the development and evaluation of diagnostic platforms</i>
<i>Objective 2.2: Develop assays to increase understanding of infection and disease incidence</i>

- **Support the development of new rapid diagnostics.** NIAID will provide funding to support the development of new rapid diagnostics, including molecular tests and novel antigen detection tests with improved sensitivity, if deemed feasible based on natural history studies.
- **Support the evaluation of promising diagnostics.** In some cases, stakeholders that develop potential diagnostic tests do not have the infrastructure needed to rigorously validate those tests against clinical samples. NIAID will support the testing of promising diagnostics and provide the capacity for evaluating them with live virus samples using our biocontainment laboratories.

### Objective 2.2: Develop assays to increase understanding of infection and disease incidence

- **Develop and validate SARS-CoV-2 serological assays.** Serological tests, which detect host antibodies to infectious agents, do not detect the presence of a pathogen directly but can be used as a surrogate marker of infection. Developing more effective serologic tests would help provide information on the extent of asymptomatic infections and cumulative disease incidence, for example through serosurveillance studies. NIAID, with the Centers for Disease Control and

Prevention and the FDA, is developing tests that identify antibodies to SARS-CoV-2 proteins to determine seroprevalence rates and potentially help distinguish antibody responses in individuals receiving vaccines. NIAID will support the development and validation of additional serological assays for serosurveillance studies and as tools for testing the efficacy of promising vaccine or therapeutic candidates.

### Priority 3: Characterize and test therapeutics

Currently, there are no FDA-approved or licensed therapeutics specific for coronaviruses. While traditional development pathways for therapeutics can take years, the urgency of the current outbreak underscores the need for rapid development and testing of promising therapeutics. Possible avenues for developing therapeutics include the evaluation of broad-spectrum antiviral agents (antivirals) that have shown promise for other coronaviruses and the identification of novel monoclonal antibodies (mAbs). For broad-spectrum antivirals, Phase 2/2b testing of the RNA polymerase inhibitor developed by Gilead, remdesivir, is already underway. Additional studies will be critical to identify promising therapeutic candidates and to advance them through clinical trial testing. To optimize findings during the pandemic, multiple clinical trials will be conducted in parallel among various populations, including both inpatient and outpatient studies.

#### Objective 3.1: Identify promising candidates with activity against SARS-CoV-2

- **Screen protease inhibitor and nucleotide analogue class agents and other small molecules with documented activity against other coronaviruses SARS-CoV-2.** Screening drugs that are already licensed by the FDA for other indications and might be efficacious against SARS-CoV-2 infection may provide a route to identifying a therapeutic for use in the current pandemic. Broad-spectrum antivirals that are already FDA approved or in clinical development for other indications—including those previously targeting SARS-CoV-1 and MERS CoV—can be evaluated for their potential activity against SARS-CoV-2 infections. Approved therapeutics for other infectious diseases also are being evaluated as possible treatments for COVID-19. By leveraging their existing efficacy, safety, and manufacturability data, the time to development and production can be reduced. NIAID also will continue working with partners to screen compound libraries for potential activity against SARS-CoV-2. For these studies, priority will be given to compounds based on *in vitro* screening data and the existence of human safety data.

- **Identify viral targets for therapeutic development.** Advances in structural biology technology enable researchers to map key viral structures at an

unprecedented level. The Structural Genomics Centers for Infectious Diseases (SGCID) apply state-of-the-art, high-throughput technologies and methodologies, including computational modeling, x-ray crystallography, nuclear magnetic resonance imaging, and cryogenic electron microscopy, to experimentally characterize the three dimensional atomic structure of proteins that play an important biological role in human pathogens and infectious diseases. NIAID will continue to support use of this powerful technology to identify viral targets of SARS-CoV-2 for therapeutics or vaccines.

Box 4
Priority 3: Characterize and test therapeutics
<i>Objective 3.1: Identify promising candidates with activity against SARS-CoV-2</i>
<i>Objective 3.2: Conduct treatment studies to advance high-priority therapeutic candidates</i>

- **Identify novel mAbs for use as therapy or prophylaxis.** Data from early studies indicate that well-characterized convalescent plasma may provide a treatment benefit in COVID-19.<sup>4</sup> Therefore, IVIG derived from convalescent plasma may also hold promise for treatment. Moreover, peripheral blood mononuclear cells and plasma are being used to identify novel neutralizing antibodies. Through collaborations with structural biologists, binding properties can be quickly assessed. Paired with assessment of neutralization activity, the most promising mAbs will be identified for further characterization in animal models and human trials.

Objective 3.2: Conduct treatment studies to advance high-priority therapeutic candidates

- **Characterize and evaluate host-directed strategies for treatment of disease.** Experience with other coronaviruses indicates that infection of the respiratory tract is rapid and damage is primarily mediated by the host inflammatory response.<sup>5</sup> These conditions may make it difficult to modify COVID-19 with pathogen-directed therapeutics. Instead, host-directed strategies that target the immune response may exert a beneficial therapeutic effect. Host-directed strategies, including immune-modulating agents, will be investigated as potential therapeutic candidates.
- **Conduct clinical trials to demonstrate safety and efficacy of lead therapeutic candidates.** Many potential therapeutic candidates have been identified and are being tested in clinical trials.
  - In March 2020, NIAID launched a multicenter, adaptive, randomized controlled clinical trial to evaluate the safety and efficacy of the investigational antiviral drug remdesivir (GS-5734) for the treatment of COVID-19 in hospitalized adults with laboratory-confirmed SARS-CoV-2 infection and evidence of lung involvement. The trial builds on recent studies by NIAID scientists showing that remdesivir can improve the disease course in rhesus macaques when administered promptly after viral challenge with the MERS CoV.<sup>6</sup> The trial is also adaptive, allowing for additional arms should other therapeutics warrant assessment for efficacy.
  - NIAID is finalizing the protocol for the Big Effect Trial (BET), in which putative therapeutics that have existing human data and are readily available will be tested in patients hospitalized with lower respiratory tract disease. Each potential intervention will be given to approximately 75 patients and evaluated for mitigating disease symptoms. Candidate therapeutics that meet the criteria in this initial study will be further evaluated in larger clinical trials for which the infrastructure is already in place.
  - As mentioned above, identification of novel mAbs for therapy or prophylaxis is another strategic priority. These mAbs should be safe, highly effective, amenable to fast manufacturing, and easy to administer. They will be tested in clinical trials to develop immunotherapies for the prevention and early treatment of COVID-19, potentially in high-risk populations including healthcare workers.
- **Conduct outpatient studies for mild COVID-19 cases.** In cases of mild COVID-19 that do not require hospitalization, outpatient studies could be extremely valuable for testing promising, orally administered FDA-approved drugs that have existing safety data. The antiviral activity of hydroxychloroquine and azithromycin against SARS-CoV-2 has been the focus of many early

---

<sup>4</sup> Roback JD and Guarner J. *JAMA* 2020 Mar 27. Epub. 32219429.

<sup>5</sup> Newton AH et al. *Semin Immunopathol.* 2016;38(4):471-82. PMID 26965109.

<sup>6</sup> de Wit E et al. *Proc Natl Acad Sci USA* 2020;117(12):6771-6. PMID 32054787.

therapeutic studies.<sup>7,8,9</sup> Testing of these and other candidates, including protease inhibitors and other molecules, in outpatient studies may provide critical efficacy data and could identify an existing drug or drug combination that is safe and effective against COVID-19.

- **Conduct outpatient studies in high-risk populations.** High-risk populations, including health care workers, the elderly or individuals with chronic conditions, are a critical target for the development of therapeutics. Conducting studies in patients with mild cases of COVID-19 among these high-risk groups would be of interest for identifying the benefits of early treatment strategies to mitigate the impact of infection. Therapeutic candidates that have once a day dosing could also be considered for pre-exposure prophylaxis (PrEP) in some of these populations.

#### Priority 4: Develop safe and effective vaccines against SARS-CoV-2

*Developing a safe and effective SARS-CoV-2 vaccine is a priority for preventing future outbreaks of the virus. As vaccine candidates for MERS-CoV, SARS-CoV-1 and other coronaviruses have previously been developed, NIAID investigators and the scientific community are well poised to use similar approaches in the current pandemic. NIAID will leverage its broad intramural and extramural infrastructure to advance vaccine candidates through Phase 1 safety and dosing clinical trials, with considerations for Phase 2/2b clinical trials for the most promising candidates.*

##### Objective 4.1: Advance promising vaccine candidates through clinical trial testing

- **Conduct a Phase 1 clinical trial of (mRNA) platform candidate mRNA-1273.** Given the urgency of the response effort to develop a safe and effective vaccine, NIAID is prioritizing promising vaccine candidates that can be rapidly produced and tested. NIAID, in collaboration with the biotechnology company Moderna, is conducting a Phase 1 clinical trial of a vaccine candidate that uses a messenger RNA (mRNA) vaccine platform expressing a NIAID-designed recombinant spike protein of SARS-CoV-2. The trial is being conducted at NIAID-funded clinical research sites, with the first enrolled individual receiving the vaccine on March 16, 2020.
- **Prepare for a pivotal Phase 2/2b clinical trial of candidate mRNA-1273. Preparing for the likelihood of a seasonal recurrence of SARS-CoV-2 is imperative to the public health response.** Given the theoretical risk of vaccine-enhanced respiratory disease, large Phase 2 trials are unlikely to launch until this possibility is evaluated in animal models. Planning for those animal studies is underway, and, assuming favorable results, a Phase 2/2b study could be launched later in 2020. This represents a historically fast timeline for the development and testing of a vaccine candidate. Additionally, these studies will provide information on correlates of immunity that will help accelerate the advancement of other vaccine candidates. If the mRNA-1273 vaccine candidate shows protection against SARS-CoV-2 infection in a Phase 2/2b trial, NIAID will work with government partners to ensure that the vaccine is manufactured in sufficient quantities to allow prompt distribution to those at highest risk of acquiring disease.

---

<sup>7</sup> Gautret P et al. *Int J Antimicrob Agents*. 2020 Mar 20:105949. Epub. PMID 32205204.

<sup>8</sup> Molina JM et al. 2020 *Med Mal Infect*. 2020 Mar 30. pii:S0399-077X(20)30085-8. Epub. PMID 32240719.

<sup>9</sup> Chen Z et al. medRxiv 2020:2020.03.22.20040758.

<https://www.medrxiv.org/content/10.1101/2020.03.22.20040758v2>

- **Investigate additional candidates through NIAID vaccine programs.** Although promising candidates may show efficacy in preclinical studies, many do not translate into effective vaccines in clinical trials. Therefore, it is crucial to support multiple promising

<p><b>Box 5.</b>  <b>Priority 4: Develop safe and effective vaccines against SARS-CoV-2</b></p>
<p><i>Objective 4.1: Advance promising vaccine candidates through clinical trial testing</i></p> <p><i>Objective 4.2: Advance vaccine development through assay and reagent development</i></p> <p><i>Objective 4.3: Advance vaccine development through adjuvant characterization and development</i></p>

preclinical candidates in the research and development pipeline. To that end, NIAID is advancing multiple additional SARS-CoV-2 vaccine candidates through its Rocky Mountain Laboratories (RML), including approaches that have shown promise against coronaviruses that cause SARS and MERS. Building on previous research to develop a MERS-CoV vaccine, scientists at RML are collaborating with Oxford University investigators to develop a SARS-CoV-2 vaccine that uses a chimpanzee adenovirus vector. RML investigators also are partnering with the biopharmaceutical company CureVac on an mRNA vaccine candidate and collaborating with the University of Washington on a universal coronavirus vaccine development. By leveraging its extensive expertise and research infrastructure, NIAID will continue working with partners and collaborators to advance promising SARS-CoV-2 vaccine candidates.

- **Leverage existing vaccine approaches to target SARS-CoV-2.** NIAID is pursuing multiple strategies to develop a COVID-19 vaccine. Building on past research on emerging pathogens, especially MERS-CoV and SARS-CoV-1 (the virus that causes SARS), NIAID is using previously developed vaccine platforms to rapidly assess the potential of SARS-CoV-2 vaccine candidates. This approach has already resulted in several promising strategies that may be leveraged for SARS-CoV-2, including vaccination using recombinant spike protein, chimpanzee adenovirus vaccine vector, virus-like particles, and live attenuated virus. In addition, NIAID is funding the development of novel vaccine candidates that will be efficacious across the lifespan, including in the elderly.

Objective 4.2: Advance vaccine development through assay and reagent development

- **Develop critical reagents to support vaccine development.** Appropriate tools are needed to identify the most promising vaccine candidates and advance the development of lead candidates as rapidly as possible. To accelerate the vaccine pipeline, NIAID is generating master and working SARS-CoV-2 virus stocks and other reagents critical for developing SARS-CoV-2 immune assays, developing quantitative tests for characterizing SARS-CoV2 assay material, developing a quantitative SARS-CoV-2-specific ELISA, developing virus-specific neutralization assays, and developing quantitative assays for assessing SARS-CoV-2 viral load.

Objective 4.3: Advance vaccine development through adjuvant characterization and development

- **Provide adjuvants to support vaccine development.** Adjuvants are vaccine components that improve vaccine efficacy by inducing long-lived protective immunity. Selection of appropriate adjuvants is crucial for developing safe and effective vaccines. NIAID is working with multiple collaborators to provide adjuvants to the research community for use in SARS-CoV-2 vaccine candidates. These adjuvants are at various stages of development and include compounds that

specifically improve vaccine efficacy in elderly individuals or modulate host immunity toward protective responses while limiting or preventing harmful inflammatory responses.

## Conclusion

The sudden emergence and rapid global spread of the novel coronavirus SARS-CoV-2 has created a daunting public health challenge. To address this challenge, NIAID is focusing its considerable expertise and emerging infectious disease resources to facilitate the development of medical countermeasures including diagnostics, therapeutics, and vaccines. The resulting discoveries will not only help mitigate the current pandemic, but also inform prevention, diagnosis, and treatment of future emerging infectious diseases.

A comprehensive strategy requires a coordinated effort among governmental, academic, private, and community-based organizations. The *NIAID Strategic Plan for COVID-19 Research* defines the areas of COVID-19 research within the NIAID mission and outlines the institute's research priorities and goals. This strategic plan builds on many other national efforts and represents a commitment from multiple U.S. government agencies to improve coordination of COVID-19 research and discovery efforts and the development of medical countermeasures.